

Summary of Bird observations during March 22 – 25, 2011

at

Room with a View Bed and Breakfast

Patagonia Lake, Arizona

Compiled by Adam C. Stein

adamcarstenstein@gmail.com



List of all birds observed on the B&B property during March 22-25, 2011

39 species observed representing 15 taxonomic families

<u>English name</u>	<u>Latin name</u>	<u>Overall designation</u>
<i>New world vultures</i>	<i>Cathartidae</i>	
Turkey vulture	<i>Cathartes aura</i>	2
<i>Hawks</i>	<i>Accipitridae</i>	
Sharp-shinned hawk	<i>Accipiter striatus</i>	4
Red-tailed Hawk	<i>Buteo jamaicensis</i>	3
<i>Doves and pigeons</i>	<i>Columbidae</i>	
Mourning dove	<i>Zenaida macroura</i>	1
White-winged dove	<i>Zenaida asiatica</i>	3
<i>Cuckoos</i>	<i>Cuculidae</i>	
Greater Roadrunner*	<i>Geococcyx californianus</i>	4
<i>Hummingbirds</i>	<i>Trochilidae</i>	
Broad-billed Hummingbird	<i>Cynanthus latirostris</i>	2
Rufous hummingbird	<i>Selasphorus rufus</i>	3
Anna's hummingbird	<i>Calupte anna</i>	4
<i>Woodpeckers</i>	<i>Picidae</i>	
Ladder-backed woodpecker	<i>Picoides scalaris</i>	2
Northern flicker	<i>Colaptes auratus</i>	3
Gila woodpecker	<i>Melanerpes uropygialis</i>	3
<i>New world flycatchers</i>	<i>Tyrannidae</i>	
Vermillion flycatcher*	<i>Pyrocephalus rubinus</i>	4
Ash-throated flycatcher	<i>Myiarchus cinerascens</i>	4
Hammond's flycatcher ^	<i>Empidonax hammondii</i>	3
<i>Crows and jays</i>	<i>Corvidae</i>	
Chihuahuan Raven	<i>Corvus cryptoleucus</i>	2
<i>Swallows</i>	<i>Hirundinidae</i>	
Northern rough-winged swallow	<i>Stelgidopteryx serripennis</i>	4
<i>Penduline tits</i>	<i>Remizidae</i>	
Verdin	<i>Auriparus flaviceps</i>	3
<i>Wrens</i>	<i>Troglodytidae</i>	
Bewick's wren	<i>Thryomanes bewickii</i>	2
<i>Cardinals and grosbeaks</i>	<i>Cardinalidae</i>	
Northern cardinal	<i>Cardinalis cardinalis</i>	4
Pyrrhuloxia	<i>Cardinalis sinuatus</i>	2
House finch	<i>Carpodacus mexicanus</i>	1
Lesser goldfinch	<i>Carduelis psaltria</i>	2
Pine siskin	<i>Carduelis pinus</i>	3
<i>Sparrows</i>	<i>Emberizidae</i>	
Cassin's sparrow	<i>Aimophila cassinii</i>	2

Rufous-crowned sparrow	<i>Aimophila ruficeps</i>	2
Rufous-winged sparrow	<i>Aimophila carpalis</i>	1
Black-chinned sparrow	<i>Spizella atrogularis</i>	4
Chipping sparrow	<i>Spizella passerina</i>	1
Lark sparrow	<i>Chondestes grammacus</i>	1
White-crowned sparrow	<i>Zonotrichia leucophrys</i>	2
Black-throated sparrow	<i>Amphispiza bilineata</i>	1
Vesper sparrow	<i>Poocetes gramineus</i>	2
Lincoln's sparrow	<i>Melospiza lincolnii</i>	2
Green-tailed towhee	<i>Pipilo chlorurus</i>	3
Canyon towhee	<i>Pipilo fuscus</i>	2
<i>Blackbirds and allies</i>	<i>Icteridae</i>	
Western Meadowlark	<i>Sturnella neglecta</i>	3
Scott's oriole	<i>Icterus parisorum</i>	4
<i>old world sparrows</i>	<i>Passeridae</i>	
House sparrow	<i>Passer domesticus</i>	4

* seen just outside of property boundaries

^ positive species identification is not possible

"1" saw more than 10 individuals each day

"2" saw less than 10 individuals each day

"3" only saw them a few times during the stay

"4" only saw it once during the stay

Birds at the Feeding Station

The feeding station was observed daily from 7:00-8:00 am and 5:00-6:00 pm

19 species were observed (Nearly 50% of all birds seen on the property)




Figure 1: Abundance of each species observed during the observation periods. The six bars for each species represents the six observation times.




Figure 2: The percentage of time each species was observed during the six observation periods.